

TEST REPORT

Report No. : SL:TX: 6670004102

DATE : 02/05/15

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.

R E S U L T S

REQ

The Green Rubber Toy Company (Pvt) Limited
300, IDH Road
Kolonnawa-
Sri Lanka

CONTACT PERSON : MR. DHANANJAYA RATHNAYAKE

THE FOLLOWING SAMPLE(S) WAS/WERE SUBMITTED AND IDENTIFIED BY/ON BEHALF OF THE CUSTOMER AS :

| | | | |
|-------------------------------|--|------------------------|---------------------------------------|
| SAMPLE DESCRIPTION | SOFT FILL TOY | | |
| | TYRRANOSAURUS REX (MEDIUM/ SMALL) | | |
| | Medium - (height- 220mm /width-100mm/ length- 300mm) | | |
| | Small - (height- 160mm /width-80mm /length- 210mm) | | |
| | PACKAGING | : | NOT PROVIDED |
| | REQUESTED AGE GRADING | : | OVER 12 MONTHS |
| | LABELED AGE GRADING | : | OVER 12 MONTHS |
| | AGE GROUP APPLIED IN TESTING | : | OVER 10 MONTHS |
| | SGS ASSESSED AGE | : | OVER 10 MONTHS |
| | MANUFACTURER | : | THE GREEN RUBBER TOY COMPANY (PVT)LTD |
| | SUPPLIER | : | THE GREEN RUBBER TOY COMPANY (PVT)LTD |
| COLOUR | GREEN & BROWN | | |
| STYLE NO. | 10001 , 10051 | | |
| COUNTRY OF DESTINATION | NOT PROVIDED | | |
| COUNTRY OF ORIGIN | SRI LANKA | | |
| SAMPLE RECD ON | 10/04/2015 | TEST START DATE | 10/04/2015 |
| | | TEST END DATE | 24/04/2015 |
| CARE LABEL INSTRUCTION | WIPE WITH A DAMP CLOTH ONLY | | |
| TEST CONDUCTED | AS REQUESTED BY THE APPLICANT, FOR DETAILS REFER TO NEXT PAGE(S) | | |

This is a computer generated report hence signature is not available. An original signed hardcopy can be provided upon request at 141/6, Vauxhall St, Colombo 02, Sri Lanka.

JOE No. : 1567104025

Page 1 of 19

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of

the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 45 days only.

TEST REPORT

Report No. : SL:TX: 6670004102

DATE : 02/05/15

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.

R E S U L T S

REQ

TESTING REQUESTED :

CONCLUSION

| | |
|---|---|
| <p>1) ASTM F963-11 STANDARD CONSUMER SAFETY SPECIFICATION ON TOY SAFETY.</p> <ul style="list-style-type: none"> -Mechanical and Physical test - Clause 4.2 Flammability of toys - Clause 4.3.5 Heavy elements – Total Lead content - Clause 4.3.5 Heavy elements – Migration of certain elements - Clause 4.3.7 Stuffing Materials <p>2) US CONSUMER PRODUCT SAFETY IMPROVEMENT ACT OF 2008 (CPSIA)</p> <ul style="list-style-type: none"> - Determination of Lead content in surface coating material of submitted sample in accordance with U.S. Public Law 110-314 - Consumer Product Safety Improvement Act of 2008 (CPSIA), Section 101(f) and Its Amendments Public Law 112-28 - Determination of Phthalate content in surface coating material of submitted sample in accordance with U.S. Public Law 110-314 - Consumer Product Safety Improvement Act of 2008 (CPSIA), Section 108 of the CPSIA, as amended by Public Law 112-28 <p>3) EUROPEAN STANDARD ON SAFETY OF TOYS</p> <ul style="list-style-type: none"> - EN 71- PART 1:2011+A3:2014 Mechanical and Physical Properties Labeling requirement (Washing/ Cleaning label, CE mark, importer/ manufacturer mark (name, address), product identification) according to the Directive 2009/48/EC-Safety of toys. - EN 71-2:2011+A1:2014 Flammability of Toys - EN 71-3:2013 Migration of certain elements <p>4) AUSTRALIAN/NEW ZEALAND STANDARD ON SAFETY OF TOYS</p> <ul style="list-style-type: none"> -AS/NZS ISO 8124-1:2013 Physical and Mechanical Properties -AS/NZS ISO 8124- 2:2009 Flammability -AS/NZS ISO 8124-3:2012 Migration of Certain Elements | <p>PASS</p> <p>PASS</p> <p>PASS</p> <p>PASS</p> <p>PASS</p> <p>PASS</p> <p>PASS</p> <p>PASS</p> <p>SEE RESULT ON PAGE 12</p> <p>PASS</p> <p>PASS</p> <p>PASS</p> <p>PASS</p> <p>PASS</p> |
|---|---|

RESULTS :

Details please refer to next pages.

TEST REPORT

Report No. : SL:TX: 6670004102

DATE : 02/05/15

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.

R E S U L T S

REQ

Results :
ASTM F963 – 11

AS SPECIFIED IN ASTM F963-11 STANDARD CONSUMER SAFETY SPECIFICATION ON TOYS SAFETY

Clause Relevant to Sample.

| Clause | Description | Result |
|--------|---|--------------------|
| 4 | <u>Safety Requirements</u> | |
| 4.1 | Material Quality ** | Pass |
| 4.2 | Flammability Test | See Note 01 |
| 4.3 | Toxicology | |
| 4.3.5 | Heavy Elements | See Note 02 |
| | 4.3.5.1– Heavy Elements in Paint/Similar Surface Coating Materials | |
| | 4.3.5.2 – Heavy Metal in Substrate Materials | |
| 4.3.7 | Stuffing Materials | See Note 03 |
| 4.6.1 | Small Objects | Pass |
| 4.7 | Accessible Edges | Pass |
| 4.8 | Projections | Pass |
| 4.9 | Accessible Points | Pass |
| 4.10 | Wires or Rods | Pass |
| 4.27 | Stuffed and Beanbag-Type Toys | Pass |
| 5 | <u>Safety Labeling Requirements</u> | |
| 5.2 | Age Grading Labeling (Note 04:The product or package should indicate the minimum age for intended use) | Pass (See Note 04) |
| 7 | <u>Producer's Markings</u> | |
| 7.1 | Producer's Markings (Note 05: It is drawn to your attention that either a principal component of a toy or the package shall be marked with the name and address of the distributor.) | Pass (See Note 05) |
| 8.5 | Normal Use Testing | Pass |
| 8.7 | Impact Test | Pass |
| 8.8 | Torque Test | Pass |
| 8.9 | Tension Test | Pass |
| 8.12 | Flexure Test | Pass |

JOE No. : 1567104025

Page 3 of 19

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of

the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 45 days only.



NABL ACCREDITED
Certificate No. T-1135 T-1136

TEST REPORT

Report No. : SL:TX: 6670004102

DATE : 02/05/15

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.

REQ

Note 01 :

Flammability Test (Clause 4.2)
Flammability Test on Solid
Sample

Burning Rate (inch/sec)

TYRRANOSAURUS REX

MEDIUM
SMALL

0.0 (0.030)
0.0 (0.028)

*Burning rate has been rounded to the nearest one tenth of an inch per second.

Requirement: A toy is considered a "flammable solid" if it ignites and burns with a self-sustaining flame at a rate greater than 0.10 in/sec along its major axis.

NOTE: ONLY APPLICABLE CLAUSES WERE SHOWN.
NA- NOT APPLICABLE
NC- NOT CONDUCTED AS PER CLIENT REQUESTED.
**** VISUAL EXAMINATION**

JOE No. : 1567104025

Page 4 of 19

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of

the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 45 days only.

SGS Lanka (Pvt) Ltd

Laboratory Service, 3rd Floor, 141/6, Vauxhall Street, Colombo 2, Sri Lanka. t +94 (0)11 537 62 80 f +94 (0)11 529 94 91 e sgslanka.ccare@sgs.com
Multilab Chemical, 2nd Floor, 141/7, Vauxhall Street, Colombo 2, Sri Lanka. t + 94 (0) 11 5376280 f + (0) 11 4717877 e sgs.lanka@sgs.com www.sgs.com
Head Office, 3rd Floor, 140, Vauxhall Street, Colombo 2, Sri Lanka. t + 94 (0) 11 5376280 f + (0) 11 2436404 / 4717879 e sgs.lanka@sgs.com www.sgs.com

Member of the SGS Group

TEST REPORT

Report No. : SL:TX: 6670004102

DATE : 02/05/15

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.

R E S U L T S

REQ

Note 02 :

ASTM F963-11, Clause 4.3.5.1– Heavy Elements in Paint/Similar Surface Coating Materials

SOLUBLE HEAVY METALS

As specified in ASTM F 963-11 standard consumer safety specification for toy safety clause 4.3.5, acid extraction methods specified in clause 8.3 were used and toxic elements content were determined by ICP-OES.

| Test Item (Soluble) | Result (mg/kg) | | | | Rep. Limit (mg/kg) | Limit (mg/kg) |
|---------------------|----------------|----|----|--------|--------------------|---------------|
| | 1 + 2 +3 | 4 | 5 | 6 | | |
| Antimony (Sb) | ND | ND | ND | ND | 10 | 60 |
| Arsenic (As) | ND | ND | ND | ND | 10 | 25 |
| Barium (Ba) | ND | ND | 82 | 125.67 | 50 | 1000 |
| Cadmium (Cd) | ND | ND | ND | ND | 10 | 75 |
| Chromium (Cr) | ND | ND | ND | ND | 0.15 | 60 |
| Lead (Pb) | ND | ND | ND | ND | 10 | 90 |
| Mercury (Hg) | ND | ND | ND | ND | 10 | 60 |
| Selenium (Se) | ND | ND | ND | ND | 10 | 500 |

Sample Description

- 1 – Yellow
- 2 - Green
- 3 - White
- 4 – Black
- 5 - Brown
- 6 - Red

JOE No. : 1567104025

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of

the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 45 days only.

TEST REPORT

Report No. : SL:TX: 6670004102

DATE : 02/05/15

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.

R E S U L T S

REQ

US CONSUMER PRODUCT SAFETY IMPROVEMENT ACT OF 2008 (CPSIA)

LEAD IN SURFACE-COATINGS AND SIMILAR MATERIALS OF CHILDREN'S PRODUCTS

As specified in Consumer product safety improvement Act of 2008 (CPSIA) , method CPSC-CH-E1003-09-1 was used and total lead content was determined by ICP-OES and /or AAS.

Test Results:

| Tested Item | Result (mg/kg) | | | Limit (mg/kg) |
|-------------|----------------|-----|----|---------------|
| | 1+2+3 | 4+5 | 6 | |
| Total Lead | ND | 6.9 | ND | 90 |
| LRL | 5 | | 5 | |

Sample Description

- 1 – Yellow
- 2 - Black
- 3 - White
- 4 – Green
- 5 - Brown
- 6 - Red

Remark:

- ND = Not detected
- LRL = Lower Reporting Limit

JOE No. : 1567104025

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of

the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 45 days only.



NABL ACCREDITED
Certificate No. T-1135 T-1136

TEST REPORT

Report No. : SL:TX: 6670004102

DATE : 02/05/15

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.

R E S U L T S

REQ

LEAD IN SUBSTRATE MATERIALS OF CHILDREN'S PRODUCTS

ASTM F963-11, 4.3.5.2 – Heavy Metal in Substrate Materials

As specified in Consumer product safety improvement Act of 2008 (CPSIA), method CPSC-CH-E1003-09-1 was used and total lead content was determined by ICP-OES and /or AAS.

Test Results:

| Tested Item | Result (mg/kg) | | | Limit (mg/kg) |
|-------------|----------------|-----|----|---------------|
| | 1+2+3 | 4+5 | 6 | |
| Total Lead | ND | 7.0 | ND | 100 |
| LRL | 5 | | 5 | |

Sample Description

- 1 – Yellow
- 2 - White
- 3 - Black
- 4 – Green
- 5 - Brown
- 6 - Red

Remark:

- ND = Not detected
- LRL = Lower Reporting Limit

JOE No. : 1567104025

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of

the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 45 days only.

TEST REPORT

Report No. : SL:TX: 6670004102

DATE : 02/05/15

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.

R E S U L T S

REQ

PHTHALATES IN CHILDREN'S TOYS AND CHILD CARE ARTICLES

As specified in Consumer product safety improvement Act of 2008 (CPSIA) , method CPSC-CH-C1001-09.3 was used and phthalates were determined by gas chromatograoh with mass spectrometry (GC-MS)

Test Results:

| Tested Item | Result (%) | | | | LOD (%) | Limit (%) |
|-----------------------------------|------------|-------|-------|-------|---------|-----------|
| | 1+2 | 3+4 | 5 | 6 | | |
| Bis(2-EthylHexyl)Phthalate (DEHP) | ND | ND | ND | ND | 0.005 | 0.1 |
| Dibutyl Phthalate (DBP) | 0.038 | 0.038 | 0.030 | 0.029 | 0.005 | 0.1 |
| Benzyl Butyl Phthalate (BBP) | ND | ND | ND | ND | 0.005 | 0.1 |
| Di-isononyl Phthalate (DINP) | ND | ND | ND | ND | 0.015 | 0.1 |
| Di-octyl phthalate (DNOP) | ND | ND | ND | ND | 0.005 | 0.1 |
| Di-iso-decyl phthalate (DIDP) | ND | ND | ND | ND | 0.015 | 0.1 |

Sample Description

- 1 – Yellow
- 2 - Black
- 3 - Green
- 4 – Brown
- 5 - White
- 6 - Red

Remark:

- ND = Not detected
- LOD = Limit of Detection

TEST REPORT

| | |
|---------------------------------------|------------------------|
| Report No. : SL:TX: 6670004102 | DATE : 02/05/15 |
|---------------------------------------|------------------------|

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.

R E S U L T S **REQ**

Actual colour
 Light Green – Yellow + Green
 Dark Maroon – Red + Brown +Black
 Dark Grey – Black +White
 Beige – Yellow +Brown
 Olive –Black +Brown +yellow
 Matte Maroon – Red +Black
 Black

Note 03 :

Stuffing Materials (Clause 4.3.7)

- STUFFING MATERIALS CLEANLINESS

AS SPECIFIED IN CHAPTER 16 OF OFFICIAL METHODS OF ANALYSIS OF THE ASSOCIATION OF OFFICIAL ANALYTICAL CHEMISTS

Method: With reference to Standard Consumer Safety Specification for Toy Safety, ASTM F963-11 Clause 4.3.7

Loose Fillers / Fibre Filling

| Test Item(s) | Result(s) | Requirement |
|--------------|-----------|-------------|
| Specimen No. | 1 | |
| Light Filth | Absent | Absent |
| Heavy Filth | Absent | Absent |

Specimen Description:

- White poly fiber

- U.S. PENNSYLVANIA STUFFED TOY LAW

AS SPECIFIED IN TITLE, CHAPTER 34, CHAPTER 47, SECTION 47.317, TOLERANCES OF THE COMMONWEALTH OF PENNSYLVANIA REGULATION FOR STUFFED TOYS

TEST REPORT

Report No. : SL:TX: 6670004102

DATE : 02/05/15

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.

R E S U L T S

REQ

Fibre Filling

| Test Item(s) | Result(s) | MDL | Permissible Limit |
|--|---------------------------------------|---------|--|
| | 1 | | |
| Material Visibly Reveal a Pattern, Weave, or Other Mechanical Unification of Threads to Indicate Prior Use or a Previous Manufacturing Process | Absent | -- | Absent |
| Dirt and Foreign Matter | ND | 0.1% | 1.0% |
| Oil and Grease (use Petroleum Ether as Solvent) | ND | 0.1% | 1.0% |
| Lead Content (as Pb) | ND | 0.002% | 0.002% |
| Arsenic Content (as As ₂ O ₃) | ND | 0.0002% | 0.0002% |
| Ammonia Content | ND | 5.0% | 5.0% |
| Urea Content | ND | 1.0% | 1.0% |
| Plastic or Metal Ornaments | Not Applicable | -- | Not Detached |
| Stones or Other Materials Having Jagged or Sharp Edges | Absent | -- | Absent |
| Electrostatic Charge | Absent | -- | Absent |
| Surface Burn Rate | > 3 seconds per 12inches ² | -- | > 3 seconds per 12 inches ² |

Specimen Description:

- White poly fiber

- Note:
- % = percentage by weight
 - > = greater than
 - MDL = Method Detection Limit
 - ND = Not Detected (lower than MDL)

Note: This test was subcontracted to SGS Hong Kong Lab

JOE No. : 1567104025

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of

the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 45 days only.

TEST REPORT

Report No. : SL:TX: 6670004102

DATE : 02/05/15

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.

R E S U L T S

REQ

PHYSICAL AND MECHANICAL PROPERTIES

EN 71- PART 1:2011+A3:2014

| | | |
|------|---|--------------------|
| 4 | GENERAL REQUIREMENTS | |
| 4.1 | MATERIAL CLEANLINESS | PASS |
| 4.7 | EDGES | PASS |
| 4.8 | POINTS AND METALLIC WIRES | PASS |
| 4.9 | PROTRUDING PARTS | PASS |
| 5 | TOYS INTENDED FOR CHIDREN UNDER 36 MONTHS | |
| 5.1 | GENERAL REQUIRMENTS | PASS |
| 5.1a | small parts requirement | PASS |
| 5.1b | Torque Test | PASS |
| | Tension Test | PASS |
| | Drop Test | PASS |
| | Impact Test | PASS |
| | Sharp Point | PASS |
| | Sharp edges | PASS |
| 5.2 | SOFT-FILLED TOYS AND SOFT-FILLED PARTS OF A TOY | PASS |
| 7. | WARNINGS, MARKINGS AND INSTRUCTIONS FOR USE | (SEE NOTE 01) |
| | (Note 01: It is drawn to your attention that the warnings, precautions and instructions for use should be given in the national language(s) of the country where the product is sold. Only English was reviewed.) | |
| 7.1 | GENERAL | PASS (SEE NOTE 02) |
| | (Note 02:Importer's name, registered trade name or registered trade mark and the address at must be indicated on the toy or, where that is not possible, on its packaging or in a document accompanying the toy.) | |

JOE No. : 1567104025

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of

the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 45 days only.

TEST REPORT

Report No. : SL:TX: 6670004102

DATE : 02/05/15

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.

R E S U L T S

REQ

- Labeling requirement

Labeling requirement (Washing/Cleaning Instruction, CE mark, importer/ manufacturer mark (name, address), product identification) according to the Directive 2009/48/EC-Safty of toys.

Summary table

| | <u>Observation Result</u> | <u>Location</u> |
|--|---------------------------|-----------------|
| <u>Washing/Cleaning instruction</u> | <u>Present</u> | <u>Toy</u> |
| <u>CE mark</u> | <u>Present</u> | <u>Toy</u> |
| <u>Importer's Name & Address</u> | <u>Absent</u> | <u>Toy</u> |
| <u>Manufacturer's Name & Address</u> | <u>Present</u> | <u>Toy</u> |
| <u>Product ID</u> | <u>Present</u> | <u>Toy</u> |

Note :

1. According to Directive 2009/48/EC, a toy intended for use by children under 36 months must be designed and manufactured in such a way that it can be cleaned. A textile toy must, to this end, be washable, except if it contains a mechanism that may be damaged if soak washed. The manufacturer should, if applicable, provide instructions on how the toy has to be cleaned.
2. CE marking should be visible from outside the packaging and its height must be at least 5mm.
3. Manufacturer's and Importer's name, registered trade name or registered trade mark and the address at which the manufacturer can be contacted must be indicated on the toy or, where that is not possible, on its packaging or in a document accompanying the toy.
4. Manufacturers must ensure that their toys bear a type, batch, serial or model number or other element allowing their identification, or where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy.

Observation result;

Washing/Cleaning instruction were found on toy.

CE marking was found on the toy and height is 7.5 mm.

Manufacturer name, address was found on the toy.

Product identification 10001/ 10051 were found on the toy.

JOE No. : 1567104025

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of

the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 45 days only.



NABL ACCREDITED
Certificate No. T-1135 T-1136

TEST REPORT

Report No. : SL:TX: 6670004102

DATE : 02/05/15

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.

R E S U L T S

REQ

FLAMMABILITY TEST

BS EN 71-2:2011+A1:2014

4. REQUIREMENTS

4.1 GENERAL REQUIREMENTS

PASS

4.5 SOFT-FILLED TOYS

PASS (SEE NOTE)

Note:
Soft-Filled Toys (Clause 4.5)

Sample

Burning Rate (mm/sec)

TYRRANOSAURUS REX

MEDIUM
SMALL

DNI
DNI

(Requirement: The rate of spread of flame on the surface of toy shall be not greater than 30 mm/sec or the toy shall self-extinguish)

**NOTE: ONLY APPLICABLE CLAUSES WERE SHOWN.
NA - NOT APPLICABLE
DNI- DID NOT IGNITE**

JOE No. : 1567104025

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of

the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 45 days only.

TEST REPORT

Report No. : SL:TX: 6670004102

DATE : 02/05/15

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.

R E S U L T S

REQ

HEAVY METALS

Method: with reference to EN 71-3:2013 Analysis of general elements was performed by ICP- OES.

| Test Item (Soluble) | Result (mg/kg) | | | | | | Rep . Limit (mg/kg) | Perm . Limit (mg/kg) |
|---------------------------|----------------|-------------|-------------|-------------|-------------|-------------|---------------------|----------------------|
| | 1 | 2 | 3 | 4 | 5 | 6 | | |
| Mass of trace amount (mg) | -- | -- | -- | -- | -- | -- | -- | -- |
| Aluminium (Al) | 55.31 | ND | 372.43 | ND | ND | ND | 50 | 70000 |
| Antimony (Sb) | ND | ND | ND | ND | ND | ND | 10 | 560 |
| Arsenic (As) | ND | ND | ND | ND | ND | ND | 10 | 47 |
| Barium (Ba) | ND | ND | ND | ND | 82 | 125.67 | 50 | 18750 |
| Boron (B) | ND | ND | ND | ND | ND | ND | 50 | 15000 |
| Cadmium (Cd) | ND | ND | ND | ND | ND | ND | 5 | 17 |
| Cadmium (Cr) | ND | ND | ND | ND | ND | ND | 0.15 | -- |
| Chromium (Iil) (III) (Cr) | See Note# | See Note# | See Note# | See Note# | See Note# | See Note# | 1.00 | 460 |
| Chromium (VI) (VI) (Cr) | See Note# | See Note# | See Note# | See Note# | See Note# | See Note# | 0.18 | 0.2 |
| Cobalt (Co) | ND | ND | ND | ND | ND | ND | 10 | 130 |
| Copper (Cu) | ND | ND | ND | ND | ND | ND | 50 | 7700 |
| Lead (Pb) | ND | ND | ND | ND | ND | 72.7 | 10 | 160 |
| Manganese (Mn) | ND | ND | ND | ND | ND | ND | 50 | 15000 |
| Mercury (Hg) | ND | ND | ND | ND | ND | ND | 10 | 94 |
| Nickel (Ni) | ND | ND | ND | ND | ND | ND | 10 | 930 |
| Selenium (Se) | ND | ND | ND | ND | ND | ND | 10 | 460 |
| Strontium (Sr) | ND | ND | ND | ND | ND | ND | 50 | 56000 |
| Tin (Sn) | ND | ND | ND | ND | ND | ND | 4.9 | 180000 |
| Organic Tin+ -- | See Note^ | See Note^ | See Note^ | See Note^ | See Note^ | See Note^ | 0.5 | 12.0 |
| Zinc (Zn) | ND | ND | ND | ND | ND | ND | 50 | 46000 |
| Comment | PASS | PASS | PASS | PASS | PASS | PASS | | |

JOE No. : 1567104025

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of

the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 45 days only.



NABL ACCREDITED
Certificate No. T-1135 T-1136

TEST REPORT

Report No. : SL:TX: 6670004102

DATE : 02/05/15

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.

RESULTS

REQ

Sample Description

- 1 – Yellow
- 2 - Green
- 3 - White
- 4 – Black
- 5 - Brown
- 6 - Red

Actual colour

Light Green – Yellow + Green
Dark Maroon – Red + Brown +Black
Dark Grey – Black +White
Beige – Yellow +Brown
Olive –Black +Brown +yellow
Matte Maroon – Red +Black
Black

1. mg/kg = milligram per kilogram
2. ND = not Detected
3. 1% = 10000 mg/kg = 10000 ppm
4. # Confirmation test of soluble chromium (III) and chromium (VI) is not required in case of soluble chromium does not exceed their requirements as specified in EN 71-3 :2013
5. Confirmation test of soluble organic tin is not required in case soluble tin , after conversion , does not exceed the soluble organic tin requirement as specified in EN71-3:2013

Note: This test was subcontracted to SGS Gurgaon Lab

These tests have been performed as per the customer request

Page 15 of 19

JOE No. : 1567104025

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of

the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 45 days only.

Laboratory Service, 3rd Floor, 141/6, Vauxhall Street, Colombo 2, Sri Lanka. t +94 (0)11 537 62 80 f +94 (0)11 529 94 91 e sgslanka.ccare@sgs.com
Multilab Chemical, 2nd Floor, 141/7, Vauxhall Street, Colombo 2, Sri Lanka. t + 94 (0) 11 5376280 f + (0) 11 4717877 e sgs.lanka@sgs.com www.sgs.com
Head Office, 3rd Floor, 140, Vauxhall Street, Colombo 2, Sri Lanka. t + 94 (0) 11 5376280 f + (0) 11 2436404 / 4717879 e sgs.lanka@sgs.com www.sgs.com

TEST REPORT

Report No. : SL:TX: 6670004102

DATE : 02/05/15

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.

R E S U L T S

REQ

AS/NZS ISO 8124-1:2013

As specified in AS/NZS ISO 8124-1:2013 Australian/New Zealand Standard Safety of Toys Part 1: Safety aspects related to mechanical and physical properties (ISO 8124-1:2009, MOD)

Clause Relevant to Sample.

| Clause | Description | Result |
|----------|--|--------|
| 4 | Requirements | |
| 4.1 | Normal use | Pass |
| 4.2 | Reasonably foreseeable abuse | Pass |
| 4.3 | Material | |
| 4.3.1 | Material quality (Visual Examination) | Pass |
| 4.4 | Small parts | |
| 4.4.1 | For children up to and including 36 months | Pass |
| 4.6 | Edges | |
| 4.6.4 | Edges on molded toys | Pass |
| 4.7 | Points | |
| 4.7.1 | Accessible sharp points | Pass |
| 4.8 | Projections | |
| 4.8.1 | Projections | Pass |
| 4.9 | Metal wires and rods | Pass |
| 5 | Test methods | |
| 5.23 | Washable toys | Pass |
| 5.24 | Reasonably foreseeable abuse tests | |
| 5.24.1 | General | Pass |
| 5.24.2 | Drop test | Pass |
| 5.24.5 | Torque test | Pass |
| 5.24.6 | Tension test | Pass |
| 5.24.6.1 | General procedure | Pass |
| 5.24.6.2 | Tension test for seams in soft-filled (stuffed) toys and beanbag-type toys | Pass |
| 5.24.8 | Flexure test | Pass |

JOE No. : 1567104025

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of

the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 45 days only.

TEST REPORT

Report No. : SL:TX: 6670004102

DATE : 02/05/15

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.

R E S U L T S

REQ

| | | |
|---------|--|-----------------------|
| Annex B | Safety- labeling guidelines and manufacturer's markings | |
| | B.2.1 Label definition and location (Note 01: The safety labeling should be in a visible, easily legible, Understandable & indelible form.) | See Note 01 |
| | B.2.2 Age grading (Note 02: The product or package should indicate the minimum age for intended use) | Pass (See Note 02) |
| | B.4 Manufacturer's markings | Pass |

FLAMMABILITY TEST

As specified in Australian/New Zealand Standard on safety of toys
AS/NZS ISO 8124 PART 2:2009.

| <u>Clause</u> | <u>Description</u> | |
|---------------|--|------|
| 4.1 | General requirements | Pass |
| 4.5 | Soft-filled toys with a piled or textile surface | Pass |

Note :

Soft Filled Toys (AS/NZS ISO 8124-2:2009, Clause 4.5)

| <u>Sample</u> | | <u>Burning Rate (mm/sec)</u> |
|-------------------|---|------------------------------|
| TYRRANOSAURUS REX | M | DNI |
| TYRRANOSAURUS REX | S | DNI |

(The rate of spread of flame on the surface of toy shall be not greater than 30 mm/sec or shall self-extinguish.)

**NOTE: ONLY APPLICABLE CLAUSE WERE SHOWN.
NA - NOT APPLICABLE
DNI- DID NOT IGNITE**

TEST REPORT

Report No. : SL:TX: 6670004102

DATE : 02/05/15

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.

R E S U L T S

REQ

SOLUBLE HEAVY METALS

AS/NZS ISO 8124.3:2012, acid extraction methods specified in clause 8.1 were used and toxic elements content were determined by ICP-OES.

| Test Item (Soluble) | Result (mg/kg) | | | | Rep. Limit (mg/kg) | Limit (mg/kg) |
|---------------------|----------------|----|----|--------|--------------------|---------------|
| | 1 + 2 +3 | 4 | 5 | 6 | | |
| Antimony (Sb) | ND | ND | ND | ND | 10 | 60 |
| Arsenic (As) | ND | ND | ND | ND | 10 | 25 |
| Barium (Ba) | ND | ND | 82 | 125.67 | 50 | 1000 |
| Cadmium (Cd) | ND | ND | ND | ND | 10 | 75 |
| Chromium (Cr) | ND | ND | ND | ND | 0.15 | 60 |
| Lead (Pb) | ND | ND | ND | ND | 10 | 90 |
| Mercury (Hg) | ND | ND | ND | ND | 10 | 60 |
| Selenium (Se) | ND | ND | ND | ND | 10 | 500 |

Remark:

- ND = Not detected

Sample Description

- 1 - Yellow
- 2 - Green
- 3 - White
- 4 - Black
- 5 - Brown
- 6 - Red

These tests have been performed as per the customer request

JOE No. : 1567104025

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of

the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 45 days only.

TEST REPORT

Report No. : SL:TX: 6670004102

DATE : 02/05/15

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.

R E S U L T S

REQ

TOY PICTURE



SAMPLE NO: 6670004102

SGS authenticate the photo on original report only

*** End of Report ***

JOE No. : 1567104025

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of

the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 45 days only.